

MENTPACK

think "simple"

LIQUID ARTISTICK MACHINE

2020

www.mentpack.com



Artistick-S

Liquid Artistick Machine



Artistick-R is an entry level stick pack machine with granular filler for low capacity applications.

It's able to fill free flowing granule products such as salt, sugar, THC, nutritional supplements into stick packs up to 5 lines with minimum 17mm width.

It can be placed into small production rooms with its very small footprint including height advantage.

Artistick has a really small in size but highly efficient in production.



[PLEASE CLICK HERE TO SEE THE VIDEO](#)

Fully closed volumetric rotary filling unit with its unique design for disassembling for cleaning reduces down-time to minutes.



Premium brands in components are used as standard in all Mentpack machines.

Maximum web width is 210mm and it has up to 40-45 cycles/minute speed maximum.

Advantages

- Automatic film unwind
- Simple mechanical design
- Built-in paper crush sensor (standart)
- Built-in paper crush sensor (standart)
- All motions fully synchronised
- User friendly controls
- Special shape sealers and tear notch
- Centralised volume adjustment
- Long life rotary cylinder
- Auto synchronisation granule filler to machine speed
- No product bridging with multi-fill feature
- Worldwide branded components
- Compact design
- Reduced energy consumption
- Spare parts catalogue
- 10 years plc & hmi software warranty
- I/O test manual facility

Speed

- Low Viscosity: 30 cycle
- High Viscosity: 15 cycle

* Given capacities is defined by the machines running in the factories of our customers. Actual capacity can be different depends to product type, film quality and filling weights. ** Capacity information is given as the number of cycles in a minute. Total production capacity of the package is determined by multiplying the number of cycles and the number of lines.

Technical Specifications

• Min. pack width	17 mm.	• Max. pack width	45 mm.
• Min. pack length	50 mm.	• Max. pack length	150 mm.
• Max. roll width	200 mm.	• Film speciality	Pet+Alu.+Pe
• Film cone diameter	76 mm.	• Film outer diameter	300 mm.
• Energy consumption	1,5 kW/h	• Air pressure	6-8 Bar
• Air consumption	250 liter/min.	• Electricity	1P+N+PE 220 VAC/110VAC
• Weight	200 kg.	• Dimensions (WxDxH)	1050 x 1150 x 1700 (mm.)



Mentpack; the widest range of stick pack, sachet and VFFS machines manufacturer company globally. From entry level to advanced models creates the number one company in the world having both entry level and worldwide brands as its customer. Over 25 years of hard working and experience starting from 60 sqm with 2 technicians brought Mentpack on the table considered and compared with its global competitors.

The vision of simplicity in design without losing any efficiency or durability made Mentpack machines more and more popular in the worldwide market.

The new era in Mentpack history has been started to become stronger with the dynamics of German engineering excellence. Flexibility and fast Turkish manufacturing technology is now meeting with the excellence of German manufacturing system.

think "simple"

A philosophy behind it...

It is rather challenging to simplify the complexity. But that's always the goal we want to achieve.

We believe the real value is not to make things complicated in the new world today. Time is flying and we need to catch as many things as possible every single day.

So, Mentpack decided to apply simplicity with intelligence to all its machines and to create a new philosophy then follow it which is designing all the complexities with a focus of simplifying in our machines.



Mentpack Gmbh

Sebastian-Kneipp-Straße 41, 60439

Frankfurt am Main, Germany

+49 69 505064445



Mentpack Makina A.Ş.

Ziya Gökalp Mahallesi 12A Block No:12 D:No:8-10-12,

34490 İkitelli Osb/Başakşehir/İstanbul, Turkey

+90 212 539 66 40

info@mentpack.com

www.mentpack.com



think "GREEN"

We do not print this catalogue to save; 8.1 lt. of water, 10 lt. of oil, %1.3 of a tree and %0.5 enough breath for a person.